Medications that interfere with Allergy testing

Many common medications, especially antihistamines, interfere with Allergy skin tests. Antihistamines are in many over-the-counter medications for allergies, colds and sinus problems. It is important to stop taking these medications at least 1 week prior to your visit so that skin tests can be performed.

If you are currently experiencing significant skin symptoms such as hives (urticaria) or swelling (angioedema), or if you were put on antihistamines for a severe allergic reaction (anaphylaxis), do not stop your antihistamine without contacting our office first. If you have any questions about medications not on this list that could interfere with skin testing, please contact our office at (417) 875-3742.

H1 Antihistamines Hold for 1 week before visit

Zyrtec (Cetirizine)DimetappPatanase nasal sprayXyzalChlor-TrimetonPatanol eye dropsAllegra (Fexofenadine)TavistTylenol Allergy SinusClaratin (Loratadine)Atarax (Hydroxyzine)Optivar eye drops

Clarinex Vistaril Elestat eye drops
Benadryl Hismanal (Aztemizole) Tylenol Flu Nightime
Diphenylhydramine Astelin nasal spray Tylenol Cold and Flu
Actifed Astepro nasal spray Dramamine/Meclizine

H2 blocking medications (for reducing stomach acid) - Hold dose starting the evening before visit

Pepcid (Famotidine) Zantac (Ranitidine) Tagament (Cimetidine)

Leukotriene blocking medications - Hold dose the morning of visit

Singulair (Monteleukast)

Zyflo (Zileuon) Accolate (Zafirlukast)

Oral Steroids Call us if you are on more than 20 mg prednisone or 16 mg of medrol per day. <u>DO NOT stop taking unless directed by a physician.</u>

Asthma inhalers - These DO NOT interfere with allergy testing, continue taking as prescribed

Flovent (Fluticasone) Qvar Alvesco
Pulmicort Albuterol (Proair, Proventil, Ventolin) Dulara

Advair Xoponex (Ievalbuterol)

Symbicort Maxair
Asmanex Combivent
Azmacort Atrovent
Aerobid Duoneb

Corticosteroid nasal sprays - These DO NOT interfere with allergy testing, continue taking as prescribed

Flonase (Fluticasone) Rhinocort Veramyst Nasalide

Nasonex Omnaris/Zetonna (Ciclesonide)

Nasocort QNASL

Other medications - Other types of medication may interfere with skin testing. If you are taking these meds please call us to receive special instructions prior to discontinuing. DO NOT discontinue them unless instructed by a physician.

Doxepin (Sinequan, Adapin) Amoxapine (Asendin) Trazodone

 Imipramine (Tofranil)
 Nortriptyline (Pamelor)
 Desipramine (Norpramin)

 Protriptyline (Vivactil)
 Trimipramine (Surmontil)
 Phenegren / Compazine

Amitriptyline (Elavil, Endep, Triavil, Limbitrol) Seroquel Clomipramine (Anafranil)